

FEDENKO, A. S.

SUBJECT USSR/MATHEMATICS/Topology CARD 1/1 PG - 391
 AUTHOR FEDENKO, A. S.
 TITLE Symmetric spaces with simple non-compact fundamental groups.
 PERIODICAL Doklady Akad. Nauk 108, 1026-1028 (1956)
 reviewed 11/1956

The present paper contains the comprehension of the results of the author's thesis (Moscow 1955). The investigation bases on the following theorem due to Karpelevič (Trudy Moskovsk mat. Obšč. 4, (1955)): Every involutory automorphism of a simple non-compact group G transforms into itself a certain maximal compact subgroup K of G . This theorem is used by the author in order to reduce the finding out of the involutory automorphisms of a simple non-compact group to the finding out of the involutory automorphisms of a compact group. This last problem can be solved easily by aid of Cartan's results and permits to give a complete classification of corresponding symmetric spaces. Here the classification of Berger (C.R. 240, No.25, 2370 (1955)) is completed. From the classification there results the conclusion: Every symmetric space with a simple fundamental group is an irreducible Riemannian space.

FEDENKO, A.S.

Spaces pertaining to limit. Usp.mat.nauk 12 no.3:235-240 My-Je '57.
(MIRA 10:10)

(Spaces, Generalized)

FEDENKO, A.S. [Vyadsenka, A.S.]

Method of boundary transition in Riemann space theory. Vestsi
AN BSSR. Ser. fiz.-tekhn. nav. no.2:17-25 '58. (MIRA 11:10)
(Spaces, Generalized)

FEDENKO, A.S.; VODNEV, V.T.

Groups of motions of conformal Euclidean symmetrical spaces.
Dokl. AN BSSR 3 no.6:233-236 Je '59. (MIRA 12:10)

1. Predstavleno akademikom AN BSSR V.I. Krylovym.
(Spaces, Generalized)

VODNEV, V.T.; FEDENKO, A.S.

Symmetrical partially projective spaces. Dokl. AN BSSR 8 no.4:213-
216 Ap '64. (MIRA 17:6)

1. Belorusskiy gosudarstvennyy universitet imeni Lenina. Predstavleno
akademikom AN BSSR V.I. Krylovym.

FEDENKO, G.I., inzhener.

Calculations of dynamic stresses on hull plates reinforced
by stiffeners. Sudostroenie 22 no.10:4-8 0 '56. (MLRA 10:2)

(Hulls (Naval architecture)) (Ship resistance)
(Strains and stresses)

FEDENKO, G.I., inzh.

Calculating vibration in inclined shell platings considering
the effect of their curvature and the stiffness of the framework.
Sudostroenie 23 no.9:12-16 S '57. (MIRA 10:12)
(Hulls (Naval architecture)) (Vibration (Marine engineering))

FEDENKO, G.I., kand.tekhn.nauk

Calculating vibration of stepped beams and curved rods,
Sudostroenie 24 no.7:10-13 J1 '58. (MIRA 11:9)
(Girders) (Elastic rods and wires)

FEDENKO, G.I., kand.tekhn.nauk

Effect of camber and yielding in hull frames on the vibration of
hollow shells. Trudy NTU sud.prom. 8 no.4:63-70 '59.

(MIRA 13:5)

(Hulls (Naval architecture)) (Vibration (Marine engineering))

FLD.MKO, G.I., hand.toldm.nauk

Forced vibrations of ships' plates under hydrodynamic pressures
created by the operation of propellers. Sudstroenie 27
no.7:15-17 31 '61. (IDA 14:11)
(Vibrations (marine engineering))

FEDENKO, I. I.

Putevoditel' Moskva - Gor'kii. [Guide-book Moscow-Gorki]. Moskva, Izd-vo
Ministerstva rechnogo flota Soluza SSR, 1946. 38 p. DLC: Slavic unclass.

SO: Soviet Transportation and Communications, A Bibliography, Library of Congress,
Reference Department, Washington, 1952, Unclassified.

FEDENKO, I. I.

Volga - velikaya russkaya reka. [Volga - the great Russian river]. Moskva, Gos. izd-vo detskoi lit-ry, 1946. 126 p. illus., maps (1 fold) (Nasha rodina).
ICU MdvJ

DLC: DK511LV65F4

SO: SOVIET TRANSPORTATION AND COMMUNICATIONS, A BIBLIOGRAPHY, Library of Congress, Reference Department, Washington, 1952, Unclassified.

FEDENKO, Ivan Ivanovich

[Moscow Canal; a guidebook] Kanal im. Moskvy; putevoditel'.
Moskva, Izd-vo Ministerstva rechnogo flota SSSR, 1948. 167 p.
(Moscow Canal) (MLRA 8:12)

~~FEDENKO~~ I.I.; KUBLITSKIY, G.I., retsentsent; SITHIKOV, G.G., professor,
redaktor; FEDIAYNVA, N.A., redaktor izdatel'stva; BEGICHEVA, M.N.,
tekhnicheskij redaktor.

[Moscow-Ufa-Molotov; a guidebook] Moskva-Ufa-Molotov; marshrutnik.
Moskva, Gos. izd-vo vodnogo transporta, 1954. 117 p. [Microfilm]
(Inland navigation) (MLRA 10:6)

FEDENKO, I. I.

Sitnikov, G. G.

Moscow to Ufa; along the course of five rivers
lit-ry, 1954. 196 p. maps. (55-25201)

Moskva, Gos. izd-vo geogr.

DK28.S55

FEDENKO, IVAN IVANOVICH

527N/5
756.122
.F2

KANAL IMENT MOSKVY MOSCOW CANAL MOSKVA, MOSKOVSKIY RABOCHIY, 1955.

109 P. ILLUS., MAP, TABLE.

FEDENKO, I.I.

On the Volga. Zdorov's 1 no.8:9 Ag '55

(MLRA 9:5)

(RUSSIA--DESCRIPTION AND TRAVEL)

FEDENKO, I. I.

Along the Volga. Nauka i shisn' 22 no.9:20-22 8 '55. (MLRA 5:12)
(Volga Valley--Description and travel)

SEMENTOVSKIY, Vladimir Nikolayevich; FEDENKO, Ivan Ivanovich; NRDOSSEKIN,
D.V., redaktor; NOGINA, N.I., ~~tekhnicheskiiy~~ redaktor

[Moscow-Astrakhan; a guidebook] Moskva-Astrakhan'; putevoditel'.
Moskva, Gos. izd-vo geogr. lit-ry, 1956. 172 p. (MLRA 9:11)
(Moscow Canal) (Volga Valley--Description)

FEDENKO, I.I.; EBERLIN, K.Z., otv. red.; GORCHAKOV, G.N., tekhn. red.

Volga. Moskva, Izd-vo M-va rechnogo flota SSSR, 1947. 271 p.
(MIRA 16:1)

(Volga Valley--History)
(Volga Valley--Description and travel)

PA 18T7

FEDENKO, M. V.

Aug 1947

USSR/Fuel Conservation
Fuels, Solid

"Efficient Thermoelectrical Equipment at Undertakings of Chemical Factories," M. V. Fedenko,
3 pp

"Za Ekonomiyu Topliva" No 8

Soviet chemical industries are the largest users of fuel (coal, etc.) and therefore have to adopt more stringent economy measures. Among measures to be adopted are modernization of boiler equipment, flameless combustion of gas in industrial furnaces, major repairs and remodeling of power equipment.

18T7

Fedenko, M.V.

FEDENKO, M.V., inzh.

Using secondary power resources in enterprises of the chemical
industry. Prom. energ. 12 no.12:10-12 D '57. (MIRA 10:12)
(Electric power)

PEDEMKO, N. A. (Sen Instructor)

Dissertation: -- "Determining the Methods of Descriptive Geometry for Certain Courses of Study at Higher Technical Educational Institutions." Cand Tech Sci, Georgian Polytechnic Inst imeni S. M. Kirov, 29 Jun 54. (Zarya Vostoka, Tbilisi, 18 Jun 54)

SO: Sum 318, 23 Dec. 1954

SOV/124-58-11-12032

Translation from: Referativnyy zhurnal, Mekhanika, 1958, Nr 11, p 13 (USSR)

AUTHOR: Fedenko, N. A.

TITLE: Application of the Method of Orthogonal Projections to Thermodynamics (Primeneniye metoda ortogonal'nykh proyeksiy v termodinamike)

PERIODICAL: Tr. Altaysk. s.-kh. in-ta, 1957, Nr 5, pp 258-269

ABSTRACT: Bibliographic entry

Card 1/1

FEDINKO, ..P.

Asymptotic values of the coefficients of Cotes's quadrature formula.
Dokl. AN BSSR 6 no.1:7-8 Ja '62. (MIRA 15:2)

1. Institut matematiki i vychislitel'noy tekhniki AN BSSR.
Predstavleno akademikom AN BSSR V.I.Krylovym.
(Calculus, Integral)

KR'LOV, V.I.; FEDENKO, N.P.

Approximate representation of the integral $\int_0^{\infty} xse^{-x}f(x)dx$ by a mechanical quadrature containing the value $f(0)$.

FEJENKO, N.V., kand. tekhn. nauk

Consecutive usage of waste waters by industrial enterprises.
Vod. i san. tekhn. no.4:16-17 Ap '64 (MIRA 18:1)

FEDENKO, N.V. (Moskva)

What is the price of water? Priroda 55 no.1:119-120 Ja '66.
(MIRA 19:1)

ACC NR: AT7004472

(A)

SOURCE CODE: UR/3245/66/000/002/0044/0046

AUTHORS: Guoyatinskiy, L. I.; Besarabov, Ye. S.; Fedenko, V. S.

ORG: Kiev Institute of Automation (Kiyevskiy institut avtomatiki)

TITLE: A device for regulating automatically the level of remote control signals

SOURCE: Kharkov. Institut gornogo mashinostroyeniya, avtomatiki i vychislitel'noy tekhniki. Pribory i sistemy avtomatiki, no. 2, 1966. Promyshlennaya telemekhanika (Industrial telemechanics), 44-46

TOPIC TAGS: ^{electric circuit, feedback circuit,} remote control system, automatic regulation, automatic control design, photoresistor, lamp, signal reception/ FS-K1 photoresistor, SM-37 lamp

ABSTRACT: A device has been developed for the automatic regulation of the level (ARL) of remote control signals for systems which use contact leads, such as electric locomotives in mines. A photoresistor is used as the regulating element to give a broader regulation range and a higher regulation rate. In a contact system, the operating attenuation changes as the object being controlled is moved. The photoresistor is included in the common negative feedback circuit encompassing all the amplifier stages. The ARL device consists of: an ARL amplifier which broadens the regulation limits and increases the precision; a detector which separates out the AM oscillations and rectifies this; a filter which determines the regulation rate; a DC amplifier for feeding the filament of an SM-37 incandescent lamp. The regulation

Card 1/2

ACC NR: AT7004472

action is accomplished by comparing the ARL input signal with a delay voltage. When the ARL output signal exceeds the delay voltage, the lamp is turned on. This reduces the photoresistance, increasing the feedback, thereby reducing the amplification. This system is especially effective for multiple loop circuits. The principal advantage of this ARL circuit is its structural simplicity. Regulating the photoresistor by a gas-filled device produces a sharp triggering threshold and eliminates the need for a reference voltage. Such a circuit, using an FS-X1 photoresistor and an SM-37 lamp, gave a regulation limit of 4 nep at a rate of 0.7 nep/sec with precision of 0.5--0.7 nep. Orig. art. has: 2 figures.

SUB CODE: 09/ SUBM DATE: none

Card 2/2

L 3276-66 EWT(d)/ENP(v)/ENP(k)/ENP(h)/ENP(1)

ACCESSION NR: AR501435

UR/0271/65/000/005/A043/A043
621.398.626

SOURCE: Ref. zh. Avtomatika, telemekhanika i vychislitel'naya tekhnika. Svodnyy tom, Abs. 5A301

AUTHOR: Abramov, K. K.; Fedenko, V. S.

TITLE: Origins of pulse noise in telesignal lines

CITED SOURCE: Sb. Ustroystva i elementy prom. telemekhan. Kiyev, 1964, 50-54

TOPIC TAGS: pulse noise, inductive interference, supervisory control system

TRANSLATION: In the lines connecting supervisory-control equipment at a dispatcher's station with a control board and peripheral sensors, noise is possible due to switching operations on the adjacent lines. This noise affects the contactless control equipment. Origination of the pulse noise in short lines is considered. Formulas for currents and voltages in the disturbed circuit are developed. The pulse influence between circuits was experimentally studied on 10-m long TRVKSh-20 x 2 x 0,5 distribution cables. A train of rectangular pulses with a repetition frequency of 24 kc, 15 v, 10 microsec was transmitted

Card 1/2

L 3276-66

ACCESSION NR: AR5014350

over the disturbing circuit. Both theoretical and experimental results show that the noise shape in the disturbed circuit is close to the derivative of the disturbing voltage. The lowest interference was observed between the circuits belonging to different shielded cables.

SUB CODE: EC, IE

ENCL: 00

Card 2/2

L 00076-66 EWT(d)

ACCESSION NR: AR5013608

UR/0271/65/000/004/A022/AG22

621.398.001:621.391.13

SOURCE: Ref. zh. Avtomatika, telemekhanika i vychislitel'naya tekhnika.
Svodnyy tom, Abs. 4A139

AUTHOR: Pedenko, V. S.

TITLE: Industrial communication channels

CITED SOURCE: Sb. Ustroystva i elementy prom. telemekhan. Kiev, 1964, 55-63

TOPIC TAGS: communication channel, communication link

TRANSLATION: Structurally different communication channels can be characterized by the following fundamental parameters: frequency band F , excess of mean signal power over noise level H , and information-transmission time T . The product of the above parameters determines the channel capacity: $V = F H T$ (1). Distortionless signal transmission is determined by these inequalities: $H > H_{sig}$; $T > T_{sig}$ (2). Failure to observe the inequalities (2) brings about signal distortion; however, with certain relations between the transmission speed and the channel width, the distortion does not exceed 1.25 v and 2.5 v for

Card 1/2

L 00076-66

ACCESSION NR: AR5013608

AM and FM, respectively (v is the transmission speed in bauds). If the carrier frequencies are selected according to the formula $f = 300 + 120 n$ (where n is the channel number), the mutual interference will be low. Peculiarities of various channels are considered.

ENCL: 00

SUB CODE: EC

SW
Card 2/2

KONDRAT'YEVA, Ye.N.; PETROVA, L.N.; FEDENKO, Ye.P.

Utilization of organic compounds by the green bacterium
Chloropseudomonas ethylicum as related to the presence
of carbon dioxide and hydrogen sulfide. Dokl. AN SSSR
154 no.2:453-456 Ja'64. (MIRA 17:2)

1. Moskovskiy gosudarstvennyy universitet im. M.V.
Lomonosova. Predstavleno akademikom V.N. Shaposhnikovym.

L 27405-66 EWI(1) SCIB DD
 ACC NR: AP6017704 SOURCE CODE: UR/1-20/65/034/002/0344/0349
 AUTHOR: Maksimova, I. V.; Fedenko, Ye. I. 34
 ORG: Biology-Soil Faculty, Moscow State University im. M. V. Lomonosov (Biologo-
 pochvennyy fakul'tet Moskovskogo gosudarstvennogo universiteta) B
 TITLE: Effect of the redox potential on the development of bacteria in cultures of
 algae ✓
 SOURCE: AN SSSR. Mikrobiologiya, v. 34, no. 2, 1965, 344-349
 TOPIC TAGS: chlorella, bacteria, plant growth, bacteriology
 ABSTRACT: During the cultivation of *Chlorella vulgaris* together with the sapro-
 phytic bacteria *Bacillus cereus* and *Pseudomonas ovalis* isolated from the micro-
 flora accompanying the algae, the redox potential rH_2 of the medium tended to
 increase. When the rH_2 of a combined culture of *C. vulgaris* and *B. cereus* in-
 creased to 29 from the initial value of 27, the number of *B. cereus* decreased
 abruptly. Reduction of the rH_2 to 17-23 by the addition of sodium thioglycolate
 eliminated the toxic action of the algae on the bacteria; the propagation of
 the bacteria was then stimulated by the growth of the algae. Similar relations
 were found in connection with the combined cultivation of *C. vulgaris* and *Ps.*
ovalis: the propagation of *Ps. ovalis* was stimulated at rH_2 15-17 and sup-
 pressed at rH_2 21-23 in combined cultivation with *C. vulgaris*. The authors thank Professor
 I. L. Rabotnova and Professor V. N. Shaposhnikov for their valuable advice during the
 discussion of the results. Orig. art. has: 3 figures and 1 table. [JPRS]
 SUB CODE: 06 / SUM DATE: 14Feb64 / ORIG REF: 003
 Card 1/1 20 UDC: 576.8.095.38 2

FEDENKOV, V.I.

Problem of compensatory changes in renal functions following
unilateral nephrectomy. Biul. eksp. biol. i med. 48 no. 11: 34-37
N '59. (MIRA 13:5)

1. Kurs patologicheskoy fiziologii i laboratornoy diagnostiki
(sav. - dotsent M.G. Kolpakov) Stalinskogo instituta usoverhenst-
vovaniya vrachev (dir. - dotsent G.L. Starkov). Predstavlena
deystvitel'nyy chlenom AMN SSSR V.V. Parinym.
(NEPHRECTOMY eff.)

KOLPAKOV, M.G.; FEDENKOV, V.I.; SHUSHPANNIKOVA, O.V. (Novokuznetsk)

Pathogenesis of the eosinopenic reaction of terminal states.
Report No.1. Probl.endok.i gorm. no.4:19-23 '62. (MIRA 15:11)

1. Iz kursa patofiziologii i laboratornoy diagnostiki (zav. -
dotsent M.G. Kolpakov) Novokuznetskogo instituta usovershenst-
vovaniya vrachey (dir. - dotsent G.L. Starkov).
(EOSINOPHILES) (HYPOPHYSECTOMY) (DEATH, APPARENT)

KOLPAKOV, M.G.; POTEKHIN, K.G.; FEDENKOV, V.I.

Mechanism of the eosinopenic reaction in terminal states. Biul.
eksp.biol.i med. 54 no.11:36-39 N '62. (MIRA 15:12)

1. Iz kursa patologicheskoy fizologii i laboratornoy diagnostiki
(zav. - dotsent M.G.Kolpakov) Novokuznetskogo instituta usover-
shenstvovaniya vrachey. Predstavlena akademikom V.N.Chernigovskim.
(EOSINOPE' ES) (DEATH, APPARENT)

FEDENKOV, V.I.

Effect of therapeutic radioactive factors at the Belokurikha Health
Resort on the thyrotropic activity of the blood serum in thyrotoxicosis.
Vop. kur., fizioter. i lech. fiz. kul't. 29 no.4:327-330 J1-Ag '64.
(MIRA 18:9)

1. Laboratoriya kurorta Belokurikha (nauchnyy rukovoditel' kurorta -
prof. G.M.Shershevskiy) i kurs patofiziologii i laboratornoy diagnostiki
(zav. - dotsent M.G.Kolpakov) Novokuznetskogo Instituta usovershenstvovani-
ya vrachey.

FEDENYUK, A. I.; DATSEVICH, M. A.

Agricultural Machinery

Using the simplest mechanism for stacking hay. M. A. Datsevich, A. I. Fedenyuk. Korm.
baza 3, No. 6, 1952.

Monthly List of Russian Accessions, Library of Congress, September 1952. UNCLASSIFIED.

FEDENYUK, V.O., kandidat tekhnicheskikh nauk; IVANOVA, M.T.

The use of a new kind of sizing in the clothing industry. Leg.prom.
15 no.2:20-22 F '55. (MLRA 8:4)
(Sizing (Textile))

FEDENYUK, V.G., kandidat tekhnicheskikh nauk

Utilizing spruce bark from floated timber to obtain tanning liquors.

Leg.prom.15 no.7:29-31 J1'55.

(MIRA 8:10)

(Tannins)

[G.]
FEDENYUK, V., kandidat tekhnicheskikh nauk.

Gluing clothing parts. Prem. koop.no.2:13-15 7 '56. (MLRA 9:7)
(Clothing industry)

FEDENYUK, V.G., kandidat tekhnicheskikh nauk; SAVOSTITSKIY, A.V., retsentsent;
VORONIN, G.M., retsentsent; SEGAL', N.M., redaktor; DMITRIYEVA, N.I.,
tekhnicheskiiy redaktor

[Methods of gluing parts of sewn goods] Metody kleevogo soedineniya
detalei shveinykh izdelii. Moskva, Gos. nauchno-tekhn. izd-vo
Ministerstva legkoi promyshl. SSSR, 1956. 89 p. (MLBA 9:11)
(Glue) (Clothing industry)

FEDENYUK, V.G., kand. tekhn. nauk; BUNINA, Ye.D., inzh.; SANDLER, G.A., inzh.

~~Preparation of~~ Preparing polyvinyl-butyral glue film on calendars. Leg. prom. 18
no.2:19-20 F '58. (MIRA 11:2)

(Glue)

FEDENYUK, Vasilii Gavrilovich, kand.tekhn.nauk; SAVOSTITSKIY, A.V.,
retsensent; VORONIN, G.M., retsensent; GABOVA, D.M., red.;
KNAKNIN, M.T., tekhn.red.

[Methods for making glued seams in assembling clothing
sections] Metody kleevogo soedineniia detalei shveinykh
izdelii. Izd.2., perer. i dop. Moskva, Gos.nauchno-tekhn.
izd-vo lit-ry po legkoi promyshl., 1959. 146 p.

(MIRA 13:5)

(Clothing industry)

(Glue)

PANKOVA, L.N.; FEDENYUK, V.G.

Experience in pasting seams in the clothing industry. Shvein.
prom. no.6:30-31 N.D '59. (MIRA 13:4)

1. TSentral'nyy nauchno-issledovatel'skiy institut shveytnoy
promyshlennosti.
(Adhesives) (Clothing industry)

TORGASHINA, M.G.; FEDENYUK, V.G. (Moskva)

Adhesive paper tape for labeling machines. Shvein.prom.
no.6:32 N-D '59. (MIRA 13:4)

(Labeling machines)

(Clothing industry--Equipment and supplies)

FEDENYUK, V.G. (Moskva)

New adhesive materials. Shvein. prom. no.617-21 N-D '64
(MIRA 18:2)

KULIKOVA, I.A.; NAZAROVA, A.I.; SMIRNOV, V.I.; FEDENYUK, V.G. (Moskva)

Methods for joining polyvinyl chloride films. Shvein.prom. no.4:
10-13 JI-Ag '64. (MIRA 17:10)

FEDENYUK, V.G.; KUZNETSOVA, M.A.; RUMYANTSEVA, A.S. (Moskva)

Use of adhesive perchlorovinyl tape for sealing the edges of
artificial fur parts. Shvein. prom. no.3:20-23 My-Je '65.
(MIRA 18:9)

KOCANOVSKIJ [Kochanovskiy], kand.tehn. nauka; FEDER, inženjer;
KATLER, S.M., kand.tehn.nauka; KATALINIC-UDOVČIC, Palma, prof.
(Zagreb)

Welding with electric arc which is rotating in magnetic field.
Zavarivanje 4 no.7:138-142 8 '61.

1. Visoka tehnička škola u Zagrebu, Zagreb (for Katalinic-
Udovcic).

FEDER, A.

"Surveying the Endurance of Poles." p. 45 (DROGOWNICTWO, Vol. 8, No. 2, Feb. 1953)
Warszawa, Poland

SO: Monthly List of East European Accessions, Library of Congress, Vol. 2, No. 10
October 1953. Unclassified.

FEDER, A.

(DROGOWNICTWO, Vol. 6, No. 9, Sept. 1951, Warsaw, Poland)

"Repairing a two-span steel bridge." p. 273

SO: MONTHLY LIST OF EAST EUROPEAN ACCESSIONS, L.C., Vol. 3, No. 4, APRIL 1954.

(The following information is given by the author)

Dyeing and finishing of the red tanned pig skin prepared
for export. A. E. Fedotkin. Technical. Nauch.-Issledovaniya.
Inst. Kuznechnoi Prom. Stomkhi Rabot No. 3, 55-8
(1964) A. A. Brikhtinev

ASB-TLA METALLURGICAL LITERATURE CLASSIFICATION

Ca

29

Controlling leather dressings. (A preliminary report.)
A. E. Feder and G. V. Kostenko. *Dokl. Akad. Nauk SSSR*, 1939, No. 5, 134. — To det. the covering power of leather dressing dil. with 2 parts of water and add to a Petri dish placed on a black-and-white background contg. 10 cc. of water until the difference between the black and white sections of the background disappears. The no. of cc. of the dild. dressing used is the inverse value of its covering power. The time required for the detn. is 5-7 min. Optimum results are obtained at 18-18°. A method is given for correcting the covering power and η by varying the amts. of the ingredients.
W. R. Henn

ASD 11.4 METALLURGICAL LITERATURE CLASSIFICATION

29

CA

1ST AND 2ND ORDERS

PROCESSES AND PROPERTIES

Rapid determination of Cr_2O_3 in chrome extracts and solutions. A. E. Feder and G. V. Kostenko. *Kashchenno-Obarazya Prirod. S. S. R.* 18, No. 11, 34 (1939). — Dil. 5 ml. of an ext. of analytical concn. (3 g./l. Cr_2O_3) with 5 ml. H_2O (instead of the usual 100–150 ml.). The oxidation and decompn. reaction after the addn. of 1.5 g. of Na_2O_2 to the dil. ext. is so vigorous that the contents of the flask are brought up to 60–70° and thus the heating to boiling is completed in not more than one min. The decompn. of the excess of the oxidizer and the removal of the excess O_2 take place simultaneously with the first stage of the process; thus prolonged heating for the decompn. of Na_2O_2 is unnecessary. The possibility that traces of H_2O_2 and Na_2O_2 are still present is eliminated by boiling for 3 min. in the presence of Ni salt. Cool the flask, add 20% H_2SO_4 soln. to dissolve the residue, add 5 ml. of a 10% I soln., let stand for 1–2 min., then titrate. A. A. Hochling

ASB-55A METALLURGICAL LITERATURE CLASSIFICATION

15000 15100 15200 15300 15400 15500 15600 15700 15800 15900 16000 16100 16200 16300 16400 16500 16600 16700 16800 16900 17000 17100 17200 17300 17400 17500 17600 17700 17800 17900 18000 18100 18200 18300 18400 18500 18600 18700 18800 18900 19000 19100 19200 19300 19400 19500 19600 19700 19800 19900 20000 20100 20200 20300 20400 20500 20600 20700 20800 20900 21000 21100 21200 21300 21400 21500 21600 21700 21800 21900 22000 22100 22200 22300 22400 22500 22600 22700 22800 22900 23000 23100 23200 23300 23400 23500 23600 23700 23800 23900 24000 24100 24200 24300 24400 24500 24600 24700 24800 24900 25000 25100 25200 25300 25400 25500 25600 25700 25800 25900 26000 26100 26200 26300 26400 26500 26600 26700 26800 26900 27000 27100 27200 27300 27400 27500 27600 27700 27800 27900 28000 28100 28200 28300 28400 28500 28600 28700 28800 28900 29000 29100 29200 29300 29400 29500 29600 29700 29800 29900 30000 30100 30200 30300 30400 30500 30600 30700 30800 30900 31000 31100 31200 31300 31400 31500 31600 31700 31800 31900 32000 32100 32200 32300 32400 32500 32600 32700 32800 32900 33000 33100 33200 33300 33400 33500 33600 33700 33800 33900 34000 34100 34200 34300 34400 34500 34600 34700 34800 34900 35000 35100 35200 35300 35400 35500 35600 35700 35800 35900 36000 36100 36200 36300 36400 36500 36600 36700 36800 36900 37000 37100 37200 37300 37400 37500 37600 37700 37800 37900 38000 38100 38200 38300 38400 38500 38600 38700 38800 38900 39000 39100 39200 39300 39400 39500 39600 39700 39800 39900 40000 40100 40200 40300 40400 40500 40600 40700 40800 40900 41000 41100 41200 41300 41400 41500 41600 41700 41800 41900 42000 42100 42200 42300 42400 42500 42600 42700 42800 42900 43000 43100 43200 43300 43400 43500 43600 43700 43800 43900 44000 44100 44200 44300 44400 44500 44600 44700 44800 44900 45000 45100 45200 45300 45400 45500 45600 45700 45800 45900 46000 46100 46200 46300 46400 46500 46600 46700 46800 46900 47000 47100 47200 47300 47400 47500 47600 47700 47800 47900 48000 48100 48200 48300 48400 48500 48600 48700 48800 48900 49000 49100 49200 49300 49400 49500 49600 49700 49800 49900 50000 50100 50200 50300 50400 50500 50600 50700 50800 50900 51000 51100 51200 51300 51400 51500 51600 51700 51800 51900 52000 52100 52200 52300 52400 52500 52600 52700 52800 52900 53000 53100 53200 53300 53400 53500 53600 53700 53800 53900 54000 54100 54200 54300 54400 54500 54600 54700 54800 54900 55000 55100 55200 55300 55400 55500 55600 55700 55800 55900 56000 56100 56200 56300 56400 56500 56600 56700 56800 56900 57000 57100 57200 57300 57400 57500 57600 57700 57800 57900 58000 58100 58200 58300 58400 58500 58600 58700 58800 58900 59000 59100 59200 59300 59400 59500 59600 59700 59800 59900 60000 60100 60200 60300 60400 60500 60600 60700 60800 60900 61000 61100 61200 61300 61400 61500 61600 61700 61800 61900 62000 62100 62200 62300 62400 62500 62600 62700 62800 62900 63000 63100 63200 63300 63400 63500 63600 63700 63800 63900 64000 64100 64200 64300 64400 64500 64600 64700 64800 64900 65000 65100 65200 65300 65400 65500 65600 65700 65800 65900 66000 66100 66200 66300 66400 66500 66600 66700 66800 66900 67000 67100 67200 67300 67400 67500 67600 67700 67800 67900 68000 68100 68200 68300 68400 68500 68600 68700 68800 68900 69000 69100 69200 69300 69400 69500 69600 69700 69800 69900 70000 70100 70200 70300 70400 70500 70600 70700 70800 70900 71000 71100 71200 71300 71400 71500 71600 71700 71800 71900 72000 72100 72200 72300 72400 72500 72600 72700 72800 72900 73000 73100 73200 73300 73400 73500 73600 73700 73800 73900 74000 74100 74200 74300 74400 74500 74600 74700 74800 74900 75000 75100 75200 75300 75400 75500 75600 75700 75800 75900 76000 76100 76200 76300 76400 76500 76600 76700 76800 76900 77000 77100 77200 77300 77400 77500 77600 77700 77800 77900 78000 78100 78200 78300 78400 78500 78600 78700 78800 78900 79000 79100 79200 79300 79400 79500 79600 79700 79800 79900 80000 80100 80200 80300 80400 80500 80600 80700 80800 80900 81000 81100 81200 81300 81400 81500 81600 81700 81800 81900 82000 82100 82200 82300 82400 82500 82600 82700 82800 82900 83000 83100 83200 83300 83400 83500 83600 83700 83800 83900 84000 84100 84200 84300 84400 84500 84600 84700 84800 84900 85000 85100 85200 85300 85400 85500 85600 85700 85800 85900 86000 86100 86200 86300 86400 86500 86600 86700 86800 86900 87000 87100 87200 87300 87400 87500 87600 87700 87800 87900 88000 88100 88200 88300 88400 88500 88600 88700 88800 88900 89000 89100 89200 89300 89400 89500 89600 89700 89800 89900 90000 90100 90200 90300 90400 90500 90600 90700 90800 90900 91000 91100 91200 91300 91400 91500 91600 91700 91800 91900 92000 92100 92200 92300 92400 92500 92600 92700 92800 92900 93000 93100 93200 93300 93400 93500 93600 93700 93800 93900 94000 94100 94200 94300 94400 94500 94600 94700 94800 94900 95000 95100 95200 95300 95400 95500 95600 95700 95800 95900 96000 96100 96200 96300 96400 96500 96600 96700 96800 96900 97000 97100 97200 97300 97400 97500 97600 97700 97800 97900 98000 98100 98200 98300 98400 98500 98600 98700 98800 98900 99000 99100 99200 99300 99400 99500 99600 99700 99800 99900 100000 100100 100200 100300 100400 100500 100600 100700 100800 100900 101000 101100 101200 101300 101400 101500 101600 101700 101800 101900 102000 102100 102200 102300 102400 102500 102600 102700 102800 102900 103000 103100 103200 103300 103400 103500 103600 103700 103800 103900 104000 104100 104200 104300 104400 104500 104600 104700 104800 104900 105000 105100 105200 105300 105400 105500 105600 105700 105800 105900 106000 106100 106200 106300 106400 106500 106600 106700 106800 106900 107000 107100 107200 107300 107400 107500 107600 107700 107800 107900 108000 108100 108200 108300 108400 108500 108600 108700 108800 108900 109000 109100 109200 109300 109400 109500 109600 109700 109800 109900 110000 110100 110200 110300 110400 110500 110600 110700 110800 110900 111000 111100 111200 111300 111400 111500 111600 111700 111800 111900 112000 112100 112200 112300 112400 112500 112600 112700 112800 112900 113000 113100 113200 113300 113400 113500 113600 113700 113800 113900 114000 114100 114200 114300 114400 114500 114600 114700 114800 114900 115000 115100 115200 115300 115400 115500 115600 115700 115800 115900 116000 116100 116200 116300 116400 116500 116600 116700 116800 116900 117000 117100 117200 117300 117400 117500 117600 117700 117800 117900 118000 118100 118200 118300 118400 118500 118600 118700 118800 118900 119000 119100 119200 119300 119400 119500 119600 119700 119800 119900 120000 120100 120200 120300 120400 120500 120600 120700 120800 120900 121000 121100 121200 121300 121400 121500 121600 121700 121800 121900 122000 122100 122200 122300 122400 122500 122600 122700 122800 122900 123000 123100 123200 123300 123400 123500 123600 123700 123800 123900 124000 124100 124200 124300 124400 124500 124600 124700 124800 124900 125000 125100 125200 125300 125400 125500 125600 125700 125800 125900 126000 126100 126200 126300 126400 126500 126600 126700 126800 126900 127000 127100 127200 127300 127400 127500 127600 127700 127800 127900 128000 128100 128200 128300 128400 128500 128600 128700 128800 128900 129000 129100 129200 129300 129400 129500 129600 129700 129800 129900 130000 130100 130200 130300 130400 130500 130600 130700 130800 130900 131000 131100 131200 131300 131400 131500 131600 131700 131800 131900 132000 132100 132200 132300 132400 132500 132600 132700 132800 132900 133000 133100 133200 133300 133400 133500 133600 133700 133800 133900 134000 134100 134200 134300 134400 134500 134600 134700 134800 134900 135000 135100 135200 135300 135400 135500 135600 135700 135800 135900 136000 136100 136200 136300 136400 136500 136600 136700 136800 136900 137000 137100 137200 137300 137400 137500 137600 137700 137800 137900 138000 138100 138200 138300 138400 138500 138600 138700 138800 138900 139000 139100 139200 139300 139400 139500 139600 139700 139800 139900 140000 140100 140200 140300 140400 140500 140600 140700 140800 140900 141000 141100 141200 141300 141400 141500 141600 141700 141800 141900 142000 142100 142200 142300 142400 142500 142600 142700 142800 142900 143000 143100 143200 143300 143400 143500 143600 143700 143800 143900 144000 144100 144200 144300 144400 144500 144600 144700 144800 144900 145000 145100 145200 145300 145400 145500 145600 145700 145800 145900 146000 146100 146200 146300 146400 146500 146600 146700 146800 146900 147000 147100 147200 147300 147400 147500 147600 147700 147800 147900 148000 148100 148200 148300 148400 148500 148600 148700 148800 148900 149000 149100 149200 149300 149400 149500 149600 149700 149800 149900 150000 150100 150200 150300 150400 150500 150600 150700 150800 150900 151000 151100 151200 151300 151400 151500 151600 151700 151800 151900 152000 152100 152200 152300 152400 152500 152600 152700 152800 152900 153000 153100 153200 153300 153400 153500 153600 153700 153800 153900 154000 154100 154200 154300 154400 154500 154600 154700 154800 154900 155000 155100 155200 155300 155400 155500 155600 155700 155800 155900 156000 156100 156200 156300 156400 156500 156600 156700 156800 156900 157000 157100 157200 157300 157400 157500 157600 157700 157800 157900 158000 158100 158200 158300 158400 158500 158600 158700 158800 158900 159000 159100 159200 159300 159400 159500 159600 159700 159800 159900 160000 160100 160200 160300 160400 160500 160600 160700 160800 160900 161000 161100 161200 161300 161400 161500 161600 161700 161800 161900 162000 162100 162200 162300 162400 162500 162600 162700 162800 162900 163000 163100 163200 163300 163400 163500 163600 163700 163800 163900 164000 164100 164200 164300 164400 164500 164600 164700 164800 164900 165000 165100 165200 165300 165400 165500 165600 165700 165800 165900 166000 166100 166200 166300 166400 166500 166600 166700 166800 166900 167000 167100 167200 167300 167400 167500 167600 167700 167800 167900 168000 168100 168200 168300 168400 168500 168600 168700 168800 168900 169000 169100 169200 169300 169400 169500 169600 169700 169800 169900 170000 170100 170200 170300 170400 170500 170600 170700 170800 170900 171000 171100 171200 171300 171400 171500 171600 171700 171800 171900 172000 172100 172200 172300 172400 172500 172600 172700 172800 172900 173000 173100 173200 173300 173400 173500 173600 173700 173800 173900 174000 174100 174200 174300 174400 174500 174600 174700 174800 174900 175000 175100 175200 175300 175400 175500 175600 175700 175800 175900 176000 176100 176200 176300 176400 176500 176600 176700 176800 176900 177000 177100 177200 177300 177400 177500 177600 177700 177800 177900 178000 178100 178200 178300 178400 178500 178600 178700 178800 178900 179000 179100 179200 179300 179400 179500 179600 179700 179800 179900 180000 180100 180200 180300 180400 180500 180600 180700 180800 180900 181000 181100 181200 181300 181400 181500 181600 181700 181800 181900 182000 182100 182200 182300 182400 182500 182600 182700 182800 182900 183000 183100 183200 183300 183400 183500 183600 183700 183800 183900 184000 184100 184200 184300 184400 184500 184600 184700 184800 184900 185000 185100 185200 185300 185400 185500 185600 185700 185800 185900 186000 186100 186200 186300 186400 186500 186600 186700 186800 186900 187000 187100 187200 187300 187400 187500 187600 187700 187800 187900 188000 188100 188200 188300 188400 188500 188600 188700 188800 188900 189000 189100 189200 189300 189400 189500 189600 189700 189800 189900 190000 190100 190200 190300 190400 190500 190600 190700 190800 190900 191000 191100 191200 191300 191400 191500 191600 191700 191800 191900 192000 192100 192200 192300 192400 192500 192600 192700 192800 192900 193000 193100 193200 193300 193400 193500 193600 193700 193800 193900 194000 194100 194200 194300 194400 194500 194600 194700

FEDER, A. YE.

23385 Vliyaniye Nekotorykh Protsessov I Mekhanicheskikh Operatsiy Na Prochnost'
Khromovoy Kozliny I Ovchiny. Legkaya Prom-st', 1949, No. 6, c. 14-15.

SO: LETOPIS NO. 31, 1949

FEDER, G.

FEDER, G. 2d Congress of Hungarian Chemists. p. 1.

Vol. 11, No. 1, Jan. 1956.

MAGYAR KEMIKUSOK LAPJA.

TECHNOLOGY

Budapest, Hungary

So: East European Accession, Vol. 5, No. 5, May 1956

FEDER, H. I.

Undulant fever Cheliabinsk, Cheliabinskoe obl. izd-vo, 1939. 108 p. (44-28140)

RC200.U5V9

FEDER, M. L. and ASIANOV, R. I.

"Critical Remarks in Regard to N.I.Ragoza's Paper on the Classification of Clinical Forms of Brucellosis," M.L.Feder and R.I.Aslanov , Zhur. Mikr, Epid, i Immun., No 4, pp 69-72, Apr 53

In regard to Ragoza's article in Klin Med (Vol 30, No 2, 1952, pp 5-19), the primary latent stage of brucellosis cannot be identified with the incubation period: the patients often recover before the disease assumes an acute form. People who exhibit positive ser-allergic reactions often do not have brucellosis; they may be immune due to prior contact with infected cattle. One cannot agree with Ragoza that the acute septic period often does not occur prior to chronic brucellosis. Ragoza's differentiation between the secondary latent form and the chronic form is not convincing. Ragoza is too pessimistic in assuming that recurrence of the disease is unavoidable after the secondary latent period. There is no reason to regard brucellosis as a chronic disease: when treatment with vaccine (which is not a specific remedy) has been applied early enough, brucellosis in 70% of the cases ends with the acute septic period. Clinical brucellosis of human occurs very rarely as a result of infection with Br. abortus bovis. 252T30

FEDER, M. L.

PILETSKAYA, Ye.M.; FEDER, M.L.

Clinico-epidemiologic aspects of caprine brucellosis in man.
Zhur.mikrobiol.epid.i immun. no.1:17-22 Ja '54. (MLRA 7:2)

1. Iz Stavropol'skoy krayevoy protivobrutselleznoy stantsii
(glavnyy vrach Ye.M.Piletskaya). (Brucellosis)

KARVETSKIY, A.V.; SIGEL', M.G.; KULICHKIN, A.V.; DEMIN, A.M.; RYZHOVA,
V.K.; FEDER, R.M.; MAKAROVA, T.L.; MEYER, R.A.; STEPANOVA, V.P.;
SKURATOV, A.D., red.; KHAUSTOVA, A.K., tekhn. red.

[Economy of Ul'ianovsk Province; statistical collection] Narodnoe
khoziaistvo Ul'ianovskoi oblasti; statisticheskiy sbornik. Ul'ia-
novsk, 1961. 271 p. (MIRA 15:5)

1. Ulyanovsk (Province) Statisticheskoye upravleniye. 2. Nachal'nik
Statisticheskogo Upravleniya Ul'yanovskoy oblasti (for Skuratov).
(Ul'ianovsk Province—Statistics)

GURVICH, Sokrat Solomonovich; PETLENKO, Viktor Porfir'yevich;
TSAREGORODTSEV, Gennadiy Ivanovich; FEDERENKO, Ye.G.,
doktor fil. nauk, prof., red.; BYCHKO, I.V., kand. fil.
nauk, otv. red.; KRYMSKIY, S.B., kand. fil. nauk, otv.
red.

[Problems of dialectical materialism; for lectures on
philosophy for medical institutes] Voprosy dialekticheskogo
materializma; k lektsiiam po filosofii dlia nreditsinskikh
institutov. Pod red. E.G.Fedorenko. Kiev, Gosmedizdat USSR
1964. 361 p. (MIRA 17:6)

FEDER, Y.E.S.

VAYNBOYM, David Iosifovich; ~~FEDER~~, Ye. S., otvetstvennyy redaktor;
ALEKSEYEVA, M.N., redaktor; FRUMKIN, P.S., tekhnicheskiiy redaktor;
DLUGOKANSKAYA, Ye. A., tekhnicheskiiy redaktor:

[Automatic arc welding equipment] Dugovye svarochnye avtomaty.
Leningrad, Gos. solusnoe izd-vo sudostroit. promyshl, 1956.
290 p. (MLRA 10:4)

(Electric welding)

18(5)

SOV/135-59-8-1/24

AUTHORS:

Kochanovskiy, N.Ya., Candidate of Technical Sciences,
Feder, Ye. S., Engineer, and Katler, S.M., Candidate of
Technical Sciences

TITLE:

Welding With Electric Arc Rotating in the Magnetic
Field

PERIODICAL:

Svarochnoye proizvodstvo, 1959, Nr 8, pp 1-4 (USSR)

ABSTRACT:

The fact that the electric arc rotates in a magnetic field has repeatedly been examined in regard to its utilization for practical purposes in several technical fields. It was found in these investigations that the electric arc is stable only if the spot on the cathode, which is the center of the rotation, remains immovable. The immovability of one of the active spots of the rotating arc limited its practical applicability for welding. In the Scientific Research Institute for Electric Welding Equipment welding devices were developed which had electric arcs with active anode and cathode spots rotating in the magnetic field. As investigations showed the electric arc, of which both

Card 1/5

SOV/135-59-8-1/24

Welding With Electric Arc Rotating in the Magnetic Field

active spots are rotating, can be produced either between the two parts that are to be welded or between the work piece and an auxiliary electrode. In the first case the two parts, for instance the two pipes 1 and 1' (Figure 1), and the field coils 2 and 2' are arranged coaxially. The coils cause magnetic currents which are inversed and therefore create a radial magnetic field in the gap between the pipes. The axes of the arc and consequently that of the arc current coincide in their direction with the axes of the pipes. The interaction of the axial current of the arc and the radial intensity of the magnetic field create a force which is applied to the arc. The force which is directed tangentially produces a rotating movement of the arc and evenly heats the rims of the pipes. Visually an uninterrupted ring of glowing plasma may be seen. When the welding temperature is reached, the pipes are pressed together. In the second case, the pipes, the copper ring, and the field coils are arranged coaxially. The ring is cooled with

Card 2/5

SOV/135-59-8-1/24

Welding With Electric Arc Rotating in Magnetic Field

water which is following through the channel (4). The electric arc is produced between the inner surface of the ring (2) and the rims of the pipes. The arc current has radial direction and the magnetic field in the gap between the ring and the pipe's axial direction. From the interaction between the radial arc current and the axial field of given intensity a force results, which is called R_1 . Under the influence of this force the arc starts turning and the rims of the pipes are heated. The pipes are pressed together until the necessary temperature is reached. Thin-walled pipes may be welded without pressing. The following part of the article describes in detail: the use of the rotating arc if it burns between the two parts which are to be welded; the heating of the pipe rims; the heating of the rims to the welding temperature and the subsequent pressing; the heating of the front sides of round workpieces with compact section to the welding temperature; the use of a rotating arc burning between the workpiece and an auxiliary electrode.

Card 3/5

SOV/135-59-8-1/24

Welding With Electric Arc Rotating in Magnetic Field

The author comes to the following conclusions: A new method of welding with an electric arc was developed, in which the arc rotates in a magnetic field. This method is distinguished by a simultaneous movement of the anode and the cathode spots. The application of this method makes it unnecessary to use welding heads and burners which have to be moved along the seam, and this makes it much easier to automate the process, especially in places which are narrow and hard to reach. The rotating electric arc makes it possible to weld clumsy seams of pipes with big diameters and thick walls, of workpieces with compact section, of side connections, and of workpieces with other profiles, such as round sections. The welding method can be used for sheet iron, non-ferrous metals, and alloys, applying gas shielding where it is necessary. Welding with electric arc, which is rotating, makes it possible to use feeders of relatively low power. Further research in the new welding process should go in

Card 4/5

Welding With Electric Arc Rotating in the Magnetic Field SOV/135-59-8-1/24

the direction of utilizing the arc not only on the periphery of the magnetic field but also inside. There are 7 photographs, 2 tables, 2 diagrams and 5 references, 3 of which are Soviet and 2 English,

ASSOCIATION: VNIIESO

Card 5/5

D'YACHKOV, B.A., kand.tekhn.nauk; PECHENIN, A.A., inzh.; FEDER, Ye.S., inzh.;
GALOYAN, G.M., inzh.

New welding transformers for manual arc welding. Svar. proizv. no.5:
33-35 My '61. (MIRA 14'4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut elektrosvarochnogo
oborudovaniya (for D'yachkov, Pechenin, Feder). 2. Leninskanskiy
elektrotekhnicheskiy zavod (for Galoyan).
(Electric welding—Equipment and supplies)

SARAFANOV, S.G., kand. tekhn. nauk; TAZ'BA, S.M.; TERENT'YEV, Yu.Ya.;
FEDER, Ye.S.; ALEKSEYEV, A.A., prof., nauchnyy red.; PETRENKO,
N.P., red. izd-va; VORONETSKAYA, L.V., tekhn. red.

[Electric welding equipment and automation of welding operations in the construction industry] Elektrosvarochnoe oborudovanie i avtomatizatsiya svarochnykh rabot v stroitel'stve.
Pod red. S.G.Sarafanova. Leningrad, Gosstroizdat, 1962. 350 p.
(MIRA 16:1)

(Electric welding)
(Construction industry--Electric equipment)

FEDER, Ye.S.; LAPIDUS, Sh.I.

Improvement in the electric current supply for hand arc welding.
Avtom.svar. 18 no.1:6-11 Ja '65. (MIRA 18:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut elektrosvarochnogo
oborudovaniya.

PESENSON, A.Ye.; FEDER, Ya.S.

Using computers for the design of welding transformers.
Avtom.svar. 18 no.11:38-39 N '65.

(MIRA 18:12)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut
elektrosvarochnogo oborudovaniya. Submitted January 26,
1965.

ACC NR: AP6015642

(N) SOURCE CODE: UR/0413/66/000/009/0053/0053

INVENTORS: Feder, Ye. S.; Zaks, M. I.; Lapidus, Sh. I.

ORG: none

TITLE: A universal welding rectifier. Class 21, No. 181212 [announced by All-Union Scientific Research Institute of Electric Welding Equipment (Vsesoyuznyy nauchno-issledovatel'skiy institut elektrosvarochnogo oborudovaniya)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 9, 1966, 53

TOPIC TAGS: welding equipment component, semiconductor rectifier, volt ampere characteristic

ABSTRACT: This Author Certificate presents a universal welding rectifier. The rectifier includes a power transformer, a regulation unit, and a saturation choke coil with control windings. The operating windings of the choke coil are joined in parallel and are connected in series with the rectifiers of the semiconductor power rectifier. The design simplifies the production of steep-dipping and flat-dipping external volt-ampere characteristics. One of the control windings of the saturation choke coil is connected to an unregulated voltage and serves as the bias winding in association with the flat-dipping external characteristics and as the preliminary magnetization winding in association with the steep-dipping characteristics. The

Card 1/2

UDC: 621.791.037-523

ACC NR: AP6015642

other control winding is connected to a regulated voltage, and provides the control in association with the flat-dipping external characteristics. The other control winding in association with the steep-dipping characteristics serves for producing the welding current feedback.

SUB CODE: 09 13/ SUBM DATE: 12Apr65

Card 2/2

FEDER, Ye.Ye.; ABRAMOV, M.L.

Treatment of inflammatory diseases of the maxillary sinuses by means of chen-chiu therapy. Zdrav.Bel. 8 no.12:62 D '62.

(MIRA 16:1)

1. Iz 1-y gorodskoy bol'nitsy g. Gomelya (glavnyy vrach A.S. Simonenko).

(MAXILLARY SINUS—DISEASES)
(ACUPUNCTURE)

NOTAYURAS, L.I. [Notajunas, L.]; FEDERENE, M.P. [Fedariene, M.]

Potential danger of parenteral transmission of epidemic hepatitis as the result of vaccination. Zhur. mikrobiol., epid. i immun. 42 no.11:105-108 N '65. (MIRA 18:12)

1. Institut epidemiologii, mikrobiologii i gigiyeny Ministerstva zdoravookhraneniya Litovskoy SSR.

~~FEDERMESSER~~, K.M. (Kytmanovo, Altayskiy kray)

Setting finger dislocations. Fel'd. i akush.no.1:20-22 Ja '56
(MLRA 9:4)

(DISLOCATIONS) (FINGERS--DISEASES)

YEFUNI, S.N.; FEDERMESSEK, K.M.; OKOROKOVA, K.V.

Giant pseudomyxoma in the abdominal cavity. Khirurgiya 32 no.6:
75-76 Je '56. (MIRA 9:10)

1. Iz khirurgicheskogo otdeleniya Kytmanovskoy rayonnoy bol'nitsy
Altayskogo kraya.

(ABDOMEN, dis.

pseudomyxoma peritonaei, giant, surg.)

YEDERMESSEK, K.M.; YEFUNI, S.N.

Operative treatment of dislocation of the first finger. Nov.khir.
arkh. no.2:76 Mr-Ap '57. (MIRA 10:8)

1. Kytmanovskaya rayonnaya bol'nitsa Altayskogo kraya
(FINGERS--SURGERY)

FEDERMESSEK, K.M.

YEFUNI, S.N.; FEDERMESSEK, K.M.

Case of simultaneous tubal and uterine pregnancy. Akush.
1 gin. 33 no.1:100-101 Ja-F '57 (MLRA 10:4)

1. Iz Kytmanevskoy rayonnoy bol'nitsy Altayskogo kraya
(glavnyy vrach S.N. Yefuni)
(PREGNANCY, EXTRAUTERINE)

RUMYANTSEV, N.N.; FEDERMESSEK, K.M.

Giant urethral calculus. Urologia 24 no.3:64-65 My-Je '59.
(MIRA 12:12)

1. Iz Kytmanovskoy rayonnoy bol'nitsy Altayskogo kraya (glavnyy vrach
M.M. Bocharova).

(URETHRA, calculi,
giant (Rus))

FEDERMESSER, K.M.

Embolism of the iliofemoral artery without gangrene of the
extremities. Khirurgiia 35 no.9:112-114 '59. (MIRA 13:12)
(ILIAC ARTERY—DISEASES) (FEMORAL ARTERY—DISEASES)
(EMBOLISM)

SADYKOV, N.M.; FEDERMESSEK, K.M.

Intubation anesthesia in operative urology. Urologia 25 no. 5:20-
25 8-0 '60. (MIRA 14:1)
(INTRATRACHEAL ANESTHESIA) (URINARY ORGANS—SURGERY)

FEDERMESSER, K.M.

Comparative evaluation of apparatus for labor anesthesia produced by the All-Union Scientific Research Institute of Medical Instruments and Equipment and by the "Krasnogvardeets" plant. Nov.med.tekh. no.4:30-37'61. (MIRA 16:9)

1. Tsentral'nyy institut usovershenstvovaniya vrachey.
(ANESTHESIA IN OBSTETRICS)
(MEDICAL INSTRUMENTS AND APPARATUS)

BLOSHANSKIY, Yu.M.; LYAPON, O.A.; FEDERMESSER, K.M.; KHVALIBOV, Ya.V.

Analgesic anesthesia with nitrous oxide in minor gynecological operations. Sov.med. 26 no.1:116-120 Ja '63. (MIRA 16:4)

1. Iz 52-y gorodskoy bol'nitsy (glavnyy vrach P.Ye.Petrushko)
i rodil'nogo doma No. 26 (glavnyy vrach - kand.med. nauk
Yu.M.Bloshanskiy), Moskva.
(GYNECOLOGY) (NITROUS OXIDE)

FEDERMESSER, K.M.; SHEKHTMAN, M.M.

Adrenal gland insufficiency following cesarean section. Akush.
i gin. 39 no.5:152-153 8-0 '63. (MIRA 17:8)

1. Iz Instituta akusherstva i ginekologii (dir. - prof. O.V.
Makeyeva) Ministerstva zdavookhraneniya SSSR.

SHEKTMAN, M.M.; FEDERMESSER, K.M.

Inferior vena cava syndrome in pregnancy. Akush. i gin. 40 no.4:
142-143 JI-Ag '64. (MIRA 18:4)

1. Institut akusherstva i ginekologii (dir. - prof. O.V.Makeyeva)
Ministerstva zdravookhraneniya SSSR, Moskva.

YEFUNI, S.N.; FEDERMESSER, K.M.; SMERTENKO, I.I.

Study of the peripheral blood and the karyotype under experimental prolonged anesthesia with nitrous oxide. Eksper. khir. i anest. 9 no.3:72-75 My-Je '64. (MIRA 18:3)

1. Institut klinicheskoy i eksperimental'noy khirurgii (dir. - daystvitel'nyy chlen AMN SSSR prof. B.V. Petrovskiy) Ministerstva zdravookhraneniya RSFSR.

FEDERMINSEN, Konstantin Matveyevich; OSTROVSKAYA, L.S., red.

[Nitrous oxide analgesia in obstetric and gynecological practice] Anal'geziia zakis'iu azota v akushersko-ginekologicheskoi praktike. Moskva, Meditsina, 1964. 134 p.
(MIRA 17:7)

FEDERMESSER, K.M., kand. med. nauk; LEPARSKIY, Ye.A.

Intubation anesthesia in cesarean section in women with severe cardiovascular pathology. Akush. i gin. 40 no.5:17-22 S-O '64. (MIRA 18:5)

1. Nauchno-issledovatel'skiy institut akusherstva i ginekologii (dir. - prof. O.V.Makoyeva) Ministerstva zdravookhraneniya SSSR i Institut pediatrii (dir. - dotsent M.Ya. Studenikin) AMN SSSR, Moskva.

FEDERMESSER, K.M.; LEPARSKIY, Ye.A.

Anesthesia in cesarean section; a review. Sov. med. 28
no.10:108-114 O '65. (MIRA 18:11)

1. Institut akusherstva i ginekologii (dir.- prof. O.V. Makeyeva)
Ministerstva zdravookhraneniya SSSR i otdeleniye nedonoshennykh i
patologii novorozhdennykh detey (zav.- kand. med. nauk Ye. Ch.
Novikova) Institut pediatrii (dir.- dotsent M.Ya. Studenikin)
AMN SSSR, Moskva.

ACC NR: AP7005693

SOURCE CODE: UR/0413/01/000/002/0100/0101

INVENTOR: Kolchin, A. V.; Federmeier, D. D.

ORG: None

TITLE. A continuous electric vacuum furnace for carburizing and sintering hard ceramals and other types of alloys. Class 21, No. 85260

SOURCE: Izobreteniya, promyshlennyye obratzay, tovarnyye znaki, no. 2, 1967, 180-181

TOPIC TAGS: vacuum furnace, metallurgic furnace, heat treating furnace, cermet product

ABSTRACT: This Author's Certificate introduces: 1. A continuous electric vacuum furnace for carburizing and sintering ceramals and other alloys. The installation is designed for continuous operation without breaking the vacuum in the furnace. Closing devices are used which are made in the form of stopcocks in which the hole through the plug is blocked on one side. Articles to be loaded into or removed from the furnace are placed in this hole and the plug is then rotated until the hole through it communicates either with the working chamber of the furnace or with the outside atmosphere. 2. A modification of this furnace in which the closing device used for loading is equipped with a push rod located in the hole passing through the plug of the stopcock and activated by an electric motor located in the same plug. 3. A modification of this furnace in which the closing device used for unloading is fastened to a sloping fitting so that components to be removed enter the hole through the stopcock plug under their own weight.

SUB CODE: 13/ SUM DATE, 21Dec48

Card 1/1

14-00000
 ACCESSION NR: AP4044123

S/0084/64/000/008/004,0014

AUTHOR: Federov, Ye. (Head of linear works)

TITLE: Domodedovo receives airplanes

SOURCE: Grazhdanskaya aviatsiya, no. 8, 1964, 1A

SOURCE: ~~Grainducherry~~

TOPIC TAGS: airport, aircraft, airtransport, aircraft servicing, service quality

TOPIC TAGS: airport; aircraft; maintenance

This is a description of the new Domodedovo airport which is being built and it deals particularly with the line shops which will service the aircraft. Each technician will be specialized in 1 shop or group of shops. The hangar houses two D-14 air rail and four D-18 or D-19 air rail. Maintenance work will begin with bringing the plane into the hangar and ending with polishing and washing, will be automatized and mechanized. All parts of the aircraft will be handled on an assembly line and this will eliminate the

considerably.

I. 7027-66 EMT(1)/T/SED(h)-3 LIP(c)

ACC NR: AP5026831.

SOURCE CODE: UR/0286/65/000/017/0117/0117

AUTHOR: Frolova, V. S.; Yurovskiy, Kh. G.; Belonogov, B. I.; Fedichkina, A. A.; Dymov, A. F.

ORG: none

TITLE: A copying device for transferring a graphic image by photographic contact printing. Class 57, No. 174522 [announced by Organization of the Ministry of the Aviation Industry SSSR (Organizatsiya ministerstva aviatsionnoy promyshlennosti SSSR)]

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 17, 1965, 117

TOPIC TAGS: photographic printing, printing machinery

ABSTRACT: This Author's Certificate introduces a copying device for transferring a graphic image by photographic contact printing. The installation contains an illuminator, a rotating table, and a clamping mechanism with vacuum contact between the original and the light-sensitive material. For airtight sealing during printing on large metal plates, the clamping mechanism is equipped with a cover made of an elastic film, e. g. polyethylene. This film covers the surface of the rotating table and is clamped around the edge of the table by an air-filled hose. This cover is wound on drums at the edge of the table.

UDC: 771.318.1

Card 1/2

L 7027-66

ACC NR: AP5026831




Fig. 1. 1--rotating table; 2--drums;
3--cover; 4--hose

SUB CODE: IE/

SUBM DATE: 23Mar64/

ORIG REF: 000/

OTH REF: 000

BC
Card 2/2

U
ALEKSEYEV, F.K.; ANDRIYUTS, G.L.; ARSENT'YEV, A.I.; ASTAF'YEV, Yu.P.;
BEVZ, N.D.; BEREZOVSKIY, A.I.; GENERALOV, G.S.;
DOROSHENKO, V.I.; YESHCHENKO, A.A.; ZAPARA, S.A.; KALINICHENKO, V.F.;
KARNAUSHENKO, I.K.; KIKOVKA, Ye.I.; KOBOZEV, V.N.; KUPIN, V.Ye.;
LOTOUS, V.K.; LYAKHOV, N.I.; MALYUTA, D.I.; METS, Yu.S.; OVODENKO,
B.K.; OKSANICH, I.F.; PANOV, V.A.; POVZNER, Z.B.; PODORVANOV, A.Z.;
POLISHCHUK, A.K.; POLYAKOV, V.G.; POTAPOV, A.I.; SAVITSKIY, I.I.;
SERBIN, V.I.; SERGEYEV, N.N.; SOVETOV, G.A.; STATKEVICH, A.A.;
TERESHCHENKO, A.A.; TITOV, D.S.; FEDIN, A.F.; KHOMYAKOV, N.P.;
SHEYKO, V.G.; SHEKUN, O.G.; SESTAKOV, M.M.; SHTAN'KO, V.I.

Practice of construction and exploitation of open pits of Krivoy
Rog Basin mining and ore dressing combines. Gor. zhur. no.6:
8-56 Je '63. (MIRA 16:7)

(Krivoy Rog Basin--Strip mining)